



*A Beginner's Guide to Lucid Dreaming Techniques
from the desk of Angel Messenger*

TABLE OF CONTENTS

Preface	2
Dreaming Explained	3
What Is Lucid Dreaming?	6
Dangers Of Lucid Dreaming	11
Recalling Your Dreams	17
Induction Techniques	21
Useful "In Dream" Techniques	47
Conclusion	56

Preface

This is a guide we bring to you as informational only. You may find some of these techniques very useful/helpful. However, we at Angel Messenger do not agree with all the techniques mentioned and do not under any circumstances recommend using drugs for any reason. By reading and using this material, you are solely responsible for the outcome of your personal practices.

When attempting some of the techniques in this book, you may have some frightening experiences, such as falling or shaking sensations. Although the authors attest these are not dangerous, you should avoid techniques that create these sensations if you would prefer not to experience them.

Some of the drugs may have side-effects. It is recommended you research drugs further online and/or with your doctor or general practitioner before using them.


Additionally, the placebo effect has a major effect on dreaming. If you believe that dream characters act dull and lifelessly, they are far more likely to do so. If you believe they can be creative, original, and surprising, they are far more likely to be. Much of the content of your dreams is affected by the placebo effect. Remember that the easier you think it is to dream lucidly, the easier it will be.

Many of the techniques and “facts” presented on these pages

are not backed up by research. This is not to say that these techniques do not work, only that they may be placebos or be ineffective much of the time.

Dreaming Explained

Each night, we spend about one and a half to two hours dreaming. We dream about once every 90 minutes of sleep. The time you spend in dreams becomes longer throughout the night, from about 10 minutes to around 45 minutes or slightly longer. But what happens when we sleep?



The stages of sleep

There are five stages of sleep: four stages of NREM (Non-REM) sleep, also called SWS (Slow-Wave Sleep), and one stage of REM (Rapid Eye Movement) sleep. The most vivid dreams, and therefore the ones we remember the most, occur during REM sleep (though we dream in other stages too). One sleep cycle is roughly 90 minutes long.

- ✚ (NREM) The first stage is a transition state between wakefulness and sleep. This is the stage that hypnagogic imagery occurs in. It usually passes into stage 2 within a few minutes.
- ✚ (NREM) During stage 2, the body gradually shuts down, and brain waves become larger.
- ✚ (NREM) Stage 3 usually occurs 30 to 45 minutes after falling asleep the first time. Large, slow delta brain waves are generated.
- ✚ (NREM) Stage 4 is often called "deep sleep" or "delta sleep". The heart beats the slowest and there is the least brain activity. It is during this stage that sleepwalking usually occurs.
- ✚ After stage 4, the NREM stages reverse and move back to stage 2, and then into REM sleep.
- ✚ (REM) During REM sleep, some parts of the brain are nearly as active as while awake. In this stage, your eyes flicker rapidly (hence the acronym Rapid Eye Movement). Your body is paralyzed, probably to prevent you from acting out your dreams.

After the REM state, you sometimes wake briefly. This is

usually forgotten by the time you wake up in the morning. If you don't wake up, you go to stage 2.

"I never dream anyway."

You do, actually — you simply don't remember any of your dreams. In the next chapter, you will find out how to improve your dream recall.

Why do we dream? What do dreams mean?

The various hypotheses for this are detailed in the dream recall section.

What is Lucid Dreaming?

Lucid dreaming is basically dreaming while being aware that you are dreaming. If you are in a lucid dream, you will usually have some power over your dream — anything from being able to fly or making an object or room appear behind a door or inside a pocket, right up to being able to change into animals and create a whole world! It is like being a director of your own movie. Lucid dreams have been scientifically proven to exist.

Stephen LaBerge of [The Lucidity Institute](http://www.lucidity.com) (<http://www.lucidity.com>) used a special machine to track eye movements during a dream (these are linked to your eye movements within the dream). He asked lucid dreamers to point their eyes left and right in quick succession and this movement was recorded on the machine. For more information on this and other experiments, read ***Exploring the World of Lucid Dreaming***.

There are plenty of reasons you might want to lucidly dream:

- ✚ Simply for **fun!** Just flying in a lucid dream is an exhilarating feeling. Lucid dreams are generally far more intense and vivid than most non-lucid dreams. You can use a lucid dream to wind down after a long day.
- ✚ Transforming into animals or getting superpowers is a **unique experience** that is hard to get any other way.
- ✚ A major part of “training” for lucid dreams is improving your **dream recall**, that is, how many dreams you can remember.
- ✚ If you are particularly interested in dreams — either in spirituality or in psychology — trying lucid dreaming could help you in your research.
- ✚ If you're writing fiction or even **creating** a world for a computer game, lucid dreaming can help you visualise it. You could ask your characters how they feel about something or what they think will happen.
- ✚ Some people compose music in their lucid dreams.
- ✚ Lucid dreams can be realistic enough to **rehearse** a speech or musical performance.
- ✚ You can **relive** previous dreams or experiences.
- ✚ They can help in **dream interpretation** and **communicating with your subconscious**.

“I Can’t Control My Dreams.”

This is very rarely actually the case (though sometimes it is in nightmares). Usually it is just your memory which treats you as though it were beyond your control. If you become lucid in a dream where you have a body, you will almost always be able to control your body. However, you might not manage to do anything else. Don't worry, though — most people have no problem with jumping very high or flying in a lucid dream!

On the other hand, parts of your brain are less active while dreaming, which can lead to dream/trance logic and sometimes choices you will later regret. For example, you might choose to continue your lucid dream, although you know that once you wake you will only remember half of it. Once you wake up, you may wish that you had stopped your dream. Another example is of somebody who dreamt they were sitting next to Mother Theresa. They wondered if they might be dreaming, thinking *isn't Mother Theresa dead?*. They then concluded that she was obviously right next to them and therefore alive, and that it wasn't a dream!

“Are Lucid Dreams Related To PSI Phenomena?”

There are differing views on this. Some people claim to have organized shared dreams or precognitive dreams through lucid dreaming. Others say these are simply created in the brain like any other dream, something like self-hypnosis.

“How Long Does It Take To Learn How To Dream Lucidly?”

This completely depends on the person and circumstances. Some people have a lucid dream just a few nights after finding out about it (usually by accident), while some people can take months! If you don't get enough sleep or feel too stressed after work to try techniques, then it may take a long time, especially if you expect it to. It will also depend on how much effort you put in. However, *everybody* has the ability to dream lucidly.

“I Think I Do This Naturally. Does This Happen?”

It is quite rare to have regular lucid dreams naturally, although most people have had a lucid dream at some point in their lives. If you want to increase the frequency of your lucid dreams, carry on reading through the book; otherwise, skip to the ***Using*** section to get some ideas for your dreams.

“I Had [dream], Was I Lucid?”

In general, a lucid dream is defined as a dream in which you know you are dreaming at some point, regardless of anything else. Even if you were lucid one second but lost your lucidity, it is still technically a lucid dream.

However, this can be a little misleading. Sometimes you dream that you fall asleep and have a lucid dream! This is

often thought of as a sign that you will have a proper lucid dream soon, as your mind is thinking a lot about lucid dreams.

Try using this table:

Signs you were lucid

- ✚ Doing a reality check which gave a positive result
- ✚ Remarks to dream characters that you are dreaming
- ✚ Attempting to stabilize the dream (see the [Using](#) chapter)
- ✚ Attempting to fly, walk through mirrors, etc. immediately after realising you are dreaming
- ✚ Waking up as soon as you realise that you are dreaming

Signs you weren't lucid

- ✚ Dreaming that you dreamt
- ✚ Treating dream characters as you would real people
- ✚ Having an unusually poor recall for that dream after you became lucid
- ✚ Not recognizing illogical parts of the dream as a dream

[top](#)

Possible Dangers of Lucid Dreaming

While there is no current evidence of lucid dreaming being abnormal or unhealthy in any way, there are a few things you should be aware of that could occur as a result of practicing lucid dreaming techniques. These possible side effects have been outlined for you below. Please don't let this scare you away from this wonderful tool; rather, remember that with dreams you are dealing with your own subconscious mind, and recklessness is not recommended.

Alienation

Many people have never even heard of lucid dreaming, much less ever experienced it. Some people are also less than open-minded and receptive to new ideas. Don't be surprised if someone considers this whole phenomenon "weird" or "crazy" (which it is not). Don't preach, either; it's not your job to absolutely convince everyone.

Often people who spontaneously lucid dream, especially children, may find it surprising that not everyone does. They may even start thinking that they are the only person in the world who has lucid dreams. If they're worried, the best support is to let them know that they're not alone, and they're not abnormal.

Addiction

Lucid dreaming can be used for different purposes. Some may want to try it just for fun, using it as a "safe drug", or a personal virtual reality machine. Having fun is a fully valid application of lucid dreaming. However, be careful not to be addicted to this way of escaping your waking life. If you find that you are spending more time asleep than actually needed, or that you are thinking more about lucid dreams than your real waking life, take a break.

Dissociation

Lucid dreaming may weaken the borders between waking and dreaming, the conscious and subconscious mind, reality and fantasy. This might lead to problems of a dissociative nature. Probably the most common form of dissociation involves having problems distinguishing your waking memories from dream memories. Everyone who recalls at least one dream will have to sort out their dreams from reality in the morning. This can really be a problem for those who have previously had zero recall and, due to lucid dreaming, have had a major uptick in recall. Now, suddenly, they have all these excess, illogical memories to sort out. **This is unlikely to be a major problem**, but may be a big annoyance.

However, there are signs that you should watch for that indicate a bigger problem may be developing. Lucid

dreaming in itself should not cause these to appear *in a waking state*:

- ✚ Ability to ignore extreme pain or what would normally cause extreme pain
- ✚ Absorption in a television program or movie
- ✚ Remembering the past so vividly one seems to be reliving it
- ✚ Finding evidence of having done things one can't remember doing
- ✚ Not remembering important events in one's life
- ✚ Being in a familiar place but finding it unfamiliar
- ✚ Seeing oneself as if looking at another person
- ✚ Other people and objects do not seem real
- ✚ Looking at the world through a fog
- ✚ Not recognizing friends or family members
- ✚ Finding unfamiliar things among one's belongings
- ✚ Finding oneself in a place but unaware of how one got there
- ✚ Finding oneself dressed in clothes one doesn't remember putting on

If this has happened, and there is no other cause (e.g. drugs), take a break from lucid dreaming for a while. In fact, take a break from anything fictional for a while, at least until symptoms stop.

Controversial: Creating Bad Habits or Becoming a Control Freak

When lucid dreaming, you have the option to control the dream world in ways that are impossible in the waking world. You can, for example, make objects appear or disappear, or make people act according to your will. Some people believe this may lead your subconscious to desire this kind of control in the waking world, where it's highly inappropriate. Also, you might be tempted to apply dream-world solutions to waking-life problems instead of actually facing them; for example, just willing bad things to go away or escaping or destroying them by superpowers. Again, this is probably more of a problem if you are not mentally stable at the outset of your dreaming process.

Controversial: Accidentally Encountering "Spiritual" Entities

This depends on your worldview. If dreams are a creation of your brain and nothing more, you don't need to worry about spirits or anything similar. If you want to be on the safe side, treating objects in your dream decently and politely won't do you any harm.

Similar Techniques

“I Can Do Astral Projection, Should I Learn How To Dream Lucidly?”

Possibly not. If you often enter a “dream world” after leaving your body, that is basically the same as the method called ***Wake-Initiation of Lucid Dreams***. Keep in mind that many people believe that “astral projection” or “out-of-body experiences” are actually lucid dreams. Whether these PSI Phenomena are real or just the creative content of your dreams, learning to lucidly dream will expand the variety of your experiences.

“I Can Use Self-Hypnosis, Should I Learn How To Dream Lucidly?”

Again, maybe not. If you often enter a “dream world”, that is basically the same as the method called ***Wake-Initiation of Lucid Dreams***.

“If These Are So Similar, Why Learn Lucid Dreaming and

Not Self-Hypnosis or Astral Projection?”

Here are some reasons:

- ✚ Lucid dreaming is something that everybody can understand. Most people have already had a lucid dream. Self-hypnosis is not fully understood and no single theory about astral projection is accepted in the astral projection community.
- ✚ Hypnosis has many negative connotations for some people. This is mostly from myths in books and films, but some people remain afraid of hypnosis.
- ✚ In contrast with self-hypnosis, much material about lucid dreaming is available free.
- ✚ If you are prepared to spend money, there are some gadgets to help people dream lucidly. Usually, they will give a light or sound signal shortly after the REM state is detected. Hypnosis tapes usually focus more on self-improvement and you cannot decide what to do with your hypnotic trance.
- ✚ If you don't believe in PSI Phenomena, you will likely be much more comfortable reading books about lucid dreaming or self-hypnosis than those on astral projection.
- ✚ You would be sleeping anyway, so it doesn't take up waking time.
- ✚ You'll be able to use this ebook to your advantage!

Recalling Your Dreams

It is important to improve your dream recall because it is possible to have a lucid dream without remembering it! It is worth getting your dream recall up to a few dreams per night for exactly that reason. Becoming familiar with your dreams will also increase your chances of becoming lucid in one.

First, a quick reminder about how often and for how long we dream. We have REM dreams approximately every 90 minutes of sleep, and while they start off at about 10 minutes, they increase in length to over 45 minutes. If you wake up while you are dreaming, you have roughly an 80% chance of remembering what you dreamt. Therefore, try setting an alarm clock to 4½, 6, or 7½ hours after you think you will fall asleep. This should wake you up directly from a dream.

The most important part of improving your dream recall is keeping a dream journal (a.k.a. dream diary). You could use an office notebook, artist's sketchpad, an online journal, a sheet of paper, or even a Dictaphone — whatever seems natural to you. Here are some general tips for keeping your journal:

 **Write all your dreams and only your dreams**

- ◆ Write down *everything* you remember about the dream. Phrases, colours, feelings, everything. Write it down in the morning.
- ◆ Sketch pictures into your notebook to help you remember symbols,

places, faces, or whatever you think you will forget about your dream over time.

Ritualize your diary

- ◆ Using a dedicated pen in a special colour helps to make keeping your journal more of a ritual.
- ◆ You might want to copy out rough notes into a neater dream diary later on in the day. This helps engrain the dream in your mind.

At bed

- ◆ Try to go to bed early enough to ensure that you wake before your alarm clock rings. In the time you get, mull over any dreams you had and do a reality check.
- ◆ You may want to keep your eyes closed for as long as possible, particularly if you wake up near the sunrise. Try to use a notebook which holds a pen and scribble down whatever you can with your eyes still closed.
- ◆ Stay in the same position and run your dreams over in your head a few times before jumping out of bed. After you have remembered your dream, move to a different position (with your eyes still closed) that you normally sleep in, and try and remember other dreams. The position that you are in may help your brain remember what dream you had while sleeping in that position.
- ◆ If you can't remember anything, allow your mind to wander through events of yesterday or issues you've been thinking about. These may be a link to your dreams.

Throughout the day

- ◆ Keep a small dream diary notebook with you all the time. It is quite easy to remember a dream in the day and then forget it by the time

you get home.

- ◆ Even if you only get a fleeting feeling of some dream during the day, note down as much as you can remember about the dream and what triggered the memory.
- ◆ Think about your dream or dreams throughout the day, and ask yourself “What did I dream?” several times. Often, you only get a good answer to this an hour after you woke up.

✚ You can try to remember your dream by “back-tracking” — start from the moment when you wake up, and try to remember what you were doing before that. You may even be able to reconstruct your dream to the beginning.

✚ If you find that many of your dreams are about certain items, such as cars and painting, then, if you cannot remember your dream in the morning, think about whether it contained your specific dream signs, in this case, cars and painting. You can even make a “dream lexicon” — a piece of paper with common dream items written on it, so you can read it every time you wake up.

Also, use the ***autosuggestion technique*** to improve your dream recall (see the full description of the autosuggestion technique in the next chapter).

Once you have a lot of dreams in your diary, you can start looking through it for dream signs. Common ones include flying, running to chase something, and being in an old house. However, it could be anything, such as crouching, skateboarding, or having one shoe missing! Try to look for these dream signs in real life and always do a reality check when you notice them.

“I Sometimes Remember More Dreams Than The Time I Was Asleep Could Allow. How Is This Possible?”

You may have had several dream scenes within a single dream period or some memories could be from past nights.

It is also possible that dream time doesn't strictly correspond to real time. Days may pass in a dream during a single night's sleep. Dreams which seem to last for hours while you have them have sometimes been found to actually have a duration of only a few minutes.

“In What Order Should I Write My Dreams?”

It is usually very hard to tell if the dreams you dreamt happened in the order you recalled them. Generally you should write them in the order you remember them, or in a random order. If you dream that you told somebody about a previous dream that happened the same night, then that previous dream probably came before the other one (though the “previous dream” could have been a false memory).

Induction Techniques

Preliminary

There are some things which are common to many techniques and these will be handled first.

Waking Up and Getting To Sleep

Firstly, you need to know how to wake yourself up and then to go to sleep just 10–60 minutes later. Probably the easiest method is a fairly quiet alarm clock. You can put it on the other side of the room to force you up. However, you could also use the MILD technique (see below) to try and wake yourself up immediately after your dreams. This should also help with your dream recall. You might want to drink lots of water or some tea, which is a **diuretic** (makes you go to the toilet). However, you might just wake up in the morning feeling very uncomfortable! Also note that the diuretic effects of tea come from caffeine, which may affect your ability to sleep.

If you have trouble getting to sleep in the first place, don't drink water for about an hour before you think you'll turn your lights off. In fact, *do* drink water an hour before, to stop you from getting thirsty later on. Avoid caffeine and sugar before bed.

If it still takes very long for you to fall asleep, you can take advantage of this by reading books about lucid dreaming before going to sleep. This could greatly increase your chances of getting a lucid dream. You definitely need a light next to your bed to read until you're too sleepy to carry on, as getting up to turn the light off can often wake you up fully.

Reality Checks

Reality checks are a method of discerning between dreams and reality. It is ***extremely important*** to perform these.

One could say they are the “keys” to lucid dreaming. It is also ***extremely important*** to make sure that you expect these to produce dream results — you accept your reality, even when it is a dream. It would be counterproductive to expect real-life results in a dream, as the outcome of a reality check can be modified by the placebo effect. It won't affect outcomes in real-life (unless you are mentally ill!), but you will probably have a higher success rate in dreams.

So here are some reality checks. You should be familiar with the entire list even if you only use a few.

		Reliability	Speed	Discreetness	Overall
Breathing	Can you breathe through a tightly shut nose?	5	5	3	4.34
Jumping	When you jump, do you float back down?	5	5	1	3.67

Reading	Do sentences change when you read them? Read, turn away and repeat it to yourself, and then turn back and read it again. Do this twice.	5	4	4	4.34
Light switches	Does a light switch work?	5	3	1	3
Vision	Do you have perfect vision? This only works for people who have at least slightly blurry vision in the waking world.	4	5	5	4.67
Hands	Are your hands a strange colour, have too many fingers (sometimes they disappear and reappear when you try to count them!) or have other abnormalities? Can you push your finger through your other hand?	4	5	5	4.67
Time	Does your watch or clock tell a reasonable time? Are you even able to read the time off it? Sometimes clocks have the wrong number of hands or have strange symbols. Note: Digital clocks often work better for this reality check.	4	5	4	4.34
Powers	Are you able to fly (just visualize it), unlock doors or have other magical powers? Try to walk through a wall, window or mirror.	4	5	3	4
Mirrors	Do you look normal in a mirror?	3	3	3	3
Nose	Can you see your nose with one eye closed?	2	5	5	4

Memory

Are you able to remember how you got here, why you are here and what happened an hour ago?

2

3

5

3.34

This is not always a reliable reality check!

Choose a few reality checks which you will do regularly. Keep doing reality checks until you are convinced that you aren't dreaming. You should **always** carry out more than one reality check. If you find that it is not a dream, look around you and think of what would be different if it was a dream. If you do this it will make it more likely that you will do a reality check in a dream.

Apart from doing reality checks throughout the day, you also need to do a reality check immediately after you wake up. This helps you become lucid in false awakenings, when you begin to act out the following day in a dream.

If you have trouble bringing reality checks into your dreams then before going to bed imagine yourself in a dream, noticing odd details and doing a reality check. Then do a reality check in real life. If you do this a few times before bed you will find that you will do it more often in dreams.

If you are in a situation where you cannot do a reality check, such as at a public speaking, try to do one as soon as possible. You can do some reality checks very discreetly, such as feeling your fingers to make sure you have five. If you start to say "well, I can't do a reality check now" you

should not be surprised when you make this mistake in a dream!

Which reality checks are best?

When selecting reality checks, the most important properties of a reality check are *reliability*, *speed*, and *discreetness*.

- ✚ The **reliability** of each reality check is how likely you are to recognise the dreamsign's results as showing that you are dreaming **once you do them in a dream**. It changes for each person but some reality checks are overall more accurate than others. The figures in the table above are *rough only* and differ for each person.
- ✚ It is important for a reality check to be **fast**. It wastes dream time if you have to search around for a book or (perhaps worse) a mirror. Plus, it could also give your subconscious more time to produce real-life results, especially if you believe that the check will give real-life results.
- ✚ Last of all, a reality check should be **discreet**; that is, it should not draw too much attention to you when you do it in the waking world. Suddenly jumping in the air or trying to walk through a wall as a reality check could cause much embarrassment!

On the table above, these are scored **out of 5**.

I have trouble remembering to do reality checks throughout the day. What reminders can I use?

You are lucky to have an interesting day and forget about lucid dreaming! It isn't advisable to explicitly write “reality check” or “lucid” on your hand, as this could create an

overdependence on this reminder, which may not exist in a dream. However, you might want to just draw a dot or small circle on your hand. This should be enough to remind you to do a reality check.

Another technique is to write down three things you do regularly in a day. Examples include hearing your name, going through a doorway, turning on a TV, beginning to read a book, and seeing a stranger. In the morning, choose three such events and intend to do a reality check whenever they happen in the following day.

I did a reality check in a dream but it said that I was not dreaming. What went wrong?

Some reality checks work perfectly for some people and awfully for others. These are mostly the light switches one and the hands one. If you find that the light switch works or that your hands are perfectly normal, you need to change to a different technique.

I did a reality check in a dream but I didn't quite realize I was dreaming. What went wrong?

An example of this is looking into a mirror and seeing some huge boils or a grey mist on your reflection and not realizing that you are dreaming. This is rare if you actually intended to

look into the mirror as a reality check. You need to be more careful when doing your reality checks in real life or pick more reliable reality checks which show more obviously that you are dreaming. Also try to pick reality checks that are easy to do. For example, don't pick the Time RC (Reality Check) if you never wear a watch, and don't pick the Mirror RC if you hardly look in the mirror or you know that you won't find a mirror in your dream.

Techniques

When you read through these techniques, remember that different techniques work for different people. There is no “best technique” and most techniques could be used to have 2–5 lucid dreams every night!

However, you will probably want some advice as to which technique you should try first. A major choice is whether you want to use a method which starts from a dream or a method which starts from being awake.* If you master a technique which starts from being awake, you are able to have lucid dreams wherever you can sleep. For other techniques, you have to rely on your luck to give you lucid dreams after you have done your technique. Here are some advantages and disadvantages for specific techniques:

Technique	Summary	Advantages	Disadvantages	Best for...
WBTB (Wake-Back-To-Bed)	Wake after some sleep and then return to bed.	<ul style="list-style-type: none"> • Simple • Can be very reliable, especially when used with other techniques 	<ul style="list-style-type: none"> • Disrupts sleep cycle 	People who want to strengthen other techniques, or who wake up in the middle of the night anyway.
Auto-suggestion	Let yourself genuinely believe that you'll become lucid—without <i>intending</i> to become lucid—so that you really will.	<ul style="list-style-type: none"> • Simple 	<ul style="list-style-type: none"> • Less effective than some other techniques (such as MILD) 	People who are highly susceptible to hypnosis or who don't have the energy for other techniques.
MILD (Mnemonic Induction of Lucid Dreams)	Fall asleep while focused on your intention to <i>remember</i> that you're dreaming.	<ul style="list-style-type: none"> • Simple 	<ul style="list-style-type: none"> • Can be boring 	People with a good prospective memory (remembrance of future intentions).
WILD (Wake-Initiation of Lucid Dreams)	Keep your consciousness while falling asleep and go straight into a dream.	<ul style="list-style-type: none"> • Lets you truly induce lucid dreams at will 	<ul style="list-style-type: none"> • Can cause frightening experiences • Can take long to master 	People who want to reliably have lucid dreams.
VILD (Visual Induction of Lucid Dreams)	By repetitive visualisation, incubate a dream in which you do a reality check.	<ul style="list-style-type: none"> • Also lets you induce lucid dreams at will • Works <i>extremely</i> well for some 	<ul style="list-style-type: none"> • ...but not very well for others • Visualizing can keep you awake 	People who have good visualisation skills.

		people...		
CAT (Cycle Adjustment Technique)	Adjust your sleep cycle to encourage awareness during the latter part of your sleep.	<ul style="list-style-type: none"> Requires relatively little effort other than adjusting your sleep cycle Is very effective 	<ul style="list-style-type: none"> Requires you to wake up early on some days You're only likely to get a lucid dream on every other day (though this could easily be more frequently than with other techniques) 	People who have a very regular sleep cycle.

Remember, it'll help a lot to have your recall up to at least one dream a night before attempting these techniques.

* The usual acronyms in forums for this are DILD (Dream-Initiated Lucid Dream) and WILD (Wake-Initiated Lucid Dream). All the techniques that induce WILDs are described under WILD on this page.

WBTB

Rated green. This technique has been successful in scientific research and/or is part of a commercial book about lucid dreaming.

WBTB stands for “Wake-Back-To-Bed”.

Wake yourself up after 4 to 6 hours of sleep, get out of bed and stay up for anywhere between a few minutes to an hour before going back to bed. It's preferable that you do something related to lucid dreaming during this time (such as reading about lucid dreaming), but it is not required. This is best combined with other techniques; many people have amazing results with a MILD/WBTB combination.

The WBTB technique significantly increases your chance of a lucid dream, and using MILD (see below) in conjunction with it puts you at good odds if you're planning to sleep an hour or more after your WBTB session. However, you might need plenty of sleep time and therefore you may only be able to use it at weekends.

I am sometimes awake for very short times, but cannot pull myself together enough to get up and out of bed. What can I do?

Put a bright piece of paper on the wall or ceiling so that you will see it when you wake up. Other stimulus could be a hot water bottle, an alarm clock or a light turned on under your bed. After you get a lucid dream with this method, you'll find it easier and easier to get out of bed because you'll have more motivation.

Autosuggestion

Rated green. This technique has been successful in scientific research and/or is part of a commercial book about lucid dreaming.

This technique describes how to use *autosuggestion* to have lucid dreams. It can be especially effective for people who are highly susceptible to hypnosis, but for most people, MILD will probably be more effective.

As you're falling asleep, suggest to yourself that you will have a lucid dream either that night or in the near future. You can use a mantra (such as “I will recognize that I'm dreaming.”) if you want, but make sure you don't try too hard to get a lucid dream. Instead of putting intentional effort into the suggestion, try to genuinely expect to have a lucid dream. Let yourself think expectantly about the lucid dream you're about to have, but be patient if you don't get one right away.

You could also use autosuggestion to improve dream recall. Just use the technique as described above, but instead of suggesting that you'll have a lucid dream, suggest that you'll remember your dreams when you wake up. You could also use a mantra with this, such as “When I wake up, I will remember what I dreamt.” Just be careful not to put too much intentional effort into the mantra — try to genuinely expect to

remember your dreams instead.

MILD

Rated green. This technique has been detailed in *Exploring the World of Lucid Dreaming* by Stephen LaBerge.

MILD stands for “***Mnemonic Induction of Lucid Dreams***”, or sometimes, “***Mnemonically Induced Lucid Dream***”. The MILD technique was developed by Stephen LaBerge, and is described fully in his book *Exploring the World of Lucid Dreaming*.

With the MILD technique, as you're falling asleep, you concentrate on your intention to *remember* to recognize that you're dreaming. Repeat a short mantra in your head, such as “Next time I'm dreaming, I will remember I'm dreaming.” Think about what this means (i.e., that you want to remember that you're dreaming—in the same way you might go to a grocery store and suddenly remember that you need bread), and imagine that you're back in a dream you've had recently, but this time you recognize that you're dreaming. For example, imagine yourself flying and realizing that it's a dream because you're flying. Keep repeating and visualizing the mantra until you're sure that your intention is set in your mind or you fall asleep. If you stop repeating and visualizing the mantra, then still try to make sure the last thing in your mind before falling asleep is your intention to remember to

recognize that you're dreaming.

In general the MILD technique can be practiced when you first go to bed at night, or after you have awakened from a dream during the night. If you practice the MILD technique after you have awakened from a dream during the night you should first run through the dream you have awakened from in your mind to ensure that you remember it. Some people find it helpful to jot down a few notes about their dream in their dream journal.

Once you have committed the dream to memory, go back to sleep following the steps above, except this time visualize the dream you just had. Run through the dream until you encounter a dreamsign that you originally missed. Now instead of missing the dreamsign in your visualizations recognize the dreamsign and become "lucid".

Repeat these steps until you have fallen asleep, hopefully you will find that you have reentered the dream that you just had and will recognize the dreamsign you marked earlier and become lucid.

WILD

Rated green. This technique has been successful in scientific research and/or is part of a commercial book about lucid dreaming.

WILD stands for “**Wake-Initiated Lucid Dream**”, or “**Wake-Initiation of Lucid Dreams**” to refer to any technique that involves falling asleep consciously. These techniques are similar to self-hypnosis. Some people believe that WILDs are not actual dreams, but are instead astral projection. Various detailed resources are available under that moniker.

For most people, they are far easier to induce in the early morning after waking up or in afternoon naps, as the sleep cycle will continue with an REM period. Once you are experienced with inducing WILDs, you can try to induce them at other times.

For WILDs to occur, it is best for your body to be completely relaxed. When you go back to bed, lie down comfortably. Now tense and relax your body, starting from your shoulders and working downwards, then back up to the face. This (or similar relaxation, meditation, or trance techniques) should make your body feel slightly heavy and relaxed.

There are many different ways to induce WILDs, but they all involve doing something to keep the mind awake as the body falls asleep. A few techniques are detailed below.

If you pay attention to your physical body while using these techniques, then you will likely enter sleep paralysis (which usually happens after you're already asleep) without losing

conscious awareness of your body. You will get a tingling and buzzing sensation (this might be unpleasant). These sensations might be so strong that you feel that you will die (e.g., you might feel a choking sensation), but don't worry, this is perfectly safe! Sometimes you can simply wait until you fall asleep straight into a lucid dream.

However, if you don't fall asleep, and you become completely paralysed (with the exception of your eyes), don't try to move. Imagine your dream hand (or spirit hand if you prefer) going up and leaving your physical hand behind. Now you should have two separate bodies, a dream one and a real one. Control your dream body only — if you control your real one, you will wake up. Now you can try to roll out of bed into your dream world (alternatively, you can get up and walk through a mirror, or sink into your bed).

Hypnagogic Imagery

Try not to think about anything for more than a second or two by constantly switching your attention. This simulates your thinking patterns when you are about to fall asleep. Once you have done this for long enough, the images and sounds begin to take momentum on their own (this is called hypnagogic imagery) and get very strange and illogical. You should enter a dream at about this point and you will probably become lucid quickly. Otherwise, you will eventually realise you have entered sleep paralysis consciously (see above).

Counting

Another technique is to count up to 100 in your head, optionally adding (for example) an “I'm dreaming” between each number. Alternatively, you can imagine going down stairs, and, on every floor, reading the floor number from 100 down to 0. Try to make this image as vivid as possible — include not only what you see, but also what you hear, feel (touch the banister), and smell. At some point this image should continue into a dream or you will begin to get sleep paralysis as described above.

Incubating Dreams

Rated green. This technique has been successful in scientific research and/or is part of a commercial book about dreaming.

To incubate a dream about a specific topic, you should first think of a phrase that summarizes that topic (e.g., “I want to go to Atlantis.”). It may help to write the phrase down. If there's something you want to do in the dream, think of a phrase to summarize that too (e.g., “I want to watch Atlantis sink into the ocean.”). If you want to become lucid in the dream, then you should probably write something like “When I dream of [the topic], I will remember that I'm dreaming.” beneath your topic phrase. Immediately go to sleep and focus on your topic phrase. Visualize yourself dreaming about the topic and (if you want to become lucid) realizing that you're dreaming. If there's something specific you want

to do in the dream, visualize yourself doing it once you become lucid (not very likely to work if you don't become lucid in the dream). Think about your phrase and topic (and intention to become lucid) as you fall asleep.

Make sure that the last thing in your mind before falling asleep is your intention to (lucidly) dream about the topic you want to dream about. You might want to wake yourself up when the dream starts to fade so that you remember more of the dream; you can do this by ignoring your perception of the dream environment — the opposite of dream stabilization techniques (just make sure you do a reality check when you wake up to make sure you're really awake).

Chaining Dreams

Rated green. This technique has been successful in scientific research and/or is part of a commercial book about dreaming.

Dream-chaining or “chaining dreams” is a method to re-enter your dream *after you've woken up*. It can work for lucid and non-lucid dreams, but you will probably want to enter your dream lucid.

Once you wake up from a dream (if you don't think you were dreaming before you woke up, it may not work well) you should stay still and keep your eyes closed. It doesn't matter if you move a little or open your eyes, it's just that the less movement, sensory stimulation, and less time awake, the better. Ideally, it should feel less like you've woken up, and

more like you've taken a 30 second break from dreaming.

Once you're prepared to go back to sleep, close your eyes and either visualize yourself back in your dream, or use the “spinning technique” given in the next chapter to imagine yourself spinning back “into” your dream. Spinning is a little faster than visualization. Be sure to maintain the fact that you are dreaming (unless you don't want to be lucid), or you may lose your lucidity while falling asleep. Stimulate your senses (see the next chapter) as early as possible.

VILD

Rated yellow. There have been anecdotes from several people of this working on the ld4all.com forums.

VILD stands for “*Visual Induction of Lucid Dreams*”, or sometimes, “*Visually Induced Lucid Dream*”. This technique has been perfected by Peter Harrison, known as Pedro on the [forums at ld4all.com](http://ld4all.com/forum/) (<http://ld4all.com/forum/>).

You may wish to read [the main thread about the technique](http://ld4all.com/forum/viewtopic.php?t=4789) (<http://ld4all.com/forum/viewtopic.php?t=4789>). The version described here has been adapted slightly.

First, make sure you're relaxed. You can use the relaxing

technique mentioned in the description of the WILD technique. You can also imagine your brain emptying out and becoming sleepier. If you have a hard time falling asleep quickly, it should help to read a book (preferably about lucid dreaming) for a while before you go to sleep, until you feel very sleepy.

Now, you need to visualise a dream which you had prepared earlier. Here's an example of a prepared dream:

I am in a red room with one door. A friend next to me asks me to show them what a reality check is. I do my reality checks (which show that I am dreaming), tell them that I am dreaming, and head towards the door.

Make sure you know exactly what the dream would be like, such as which friend, the exact words they say, and which reality checks you do. Reality checks that require no props, such as books or clocks, are recommended. Visualise this dream slowly three times, to make sure that you know every detail. Then, start going full-on and visualise the dream over and over. You should visualise the dream as though you are looking through your own eyes, not from a third-person perspective. If you find your thoughts drifting, ignore them and continue to visualise the dream continuously. You will need patience for this — don't just give up if you think it won't work.

When you actually dream this, you will not notice the difference — until you do your reality checks! Continue with the dream as you incubated it (e.g., remember to thank your friend!) before continuing through the door.

“I tried to visualise the dream until I fell asleep, but I just stayed awake. What went wrong?”

If visualising keeps you awake, the VILD technique is not the technique for you! You should use a different technique.

LILD

Rated red. There have been no anecdotes found of this technique working.

LILD stands for “*Lucid Induction of Lucid Dreams*”, or sometimes, “Lucidly Induced Lucid Dream”.

To use this technique, you need to have a lucid dream in the first place, but it can help you to get more later. The idea is to do something in your dream that will help you to become lucid the next time you are dreaming. For example, you could ask a dream character for help — ask them to meet you the next night and tell you that you're dreaming. If it works out the way it should, then the next time you are dreaming, the

dream character will walk up to you and tell you that you're dreaming, and so you'll (hopefully) become lucid.

There are many variations on this technique; you could set up signs in your dreamworld that remind you to do a reality check or eat lucid pills instead! This technique is not likely to be very effective, but it *can* work; it relies on the chance that you'll subconsciously induce the reminder (i.e., the dream character or sign or whatever you used) during some later dream, and become lucid because of it.

CAT

Rated green/yellow. There have been anecdotes from many different people of this technique working.

1. For one week, go to bed at the same time each night and get up 90 minutes earlier than you usually do. Spend those 90 minutes doing reality checks every 2–5 minutes.
2. Thereafter, on alternate days: follow the routine from step one, and set the intention to do your reality check routine at its regular time, while getting a full night sleep. This will cause the reality check conditioning to kick in during REM primetime.

For detailed information on the Cycle Adjustment Technique, see the appendix on CAT.

Tibetan Methods

Tibetan budhists practice what is known as Tibetan dream yoga. Probably the most time consuming way of inducing lucid dreams, it is also, according to the practitioners, the most rewarding. The basic practice is *awareness*. Awareness should be practiced while sleeping just as well as while being awake. Meditating on the question “who is aware?” might catapult you into a higher degree of awareness. Keeping this level of awareness is another matter. The Tibetans have developed many yogic exercises and disciplines to be practiced.

Maybe the most interesting difference between Tibetan dream yoga and western modern methods of lucid dream induction is the Tibetan claim of the possibility to be aware during deep sleep, not only in the REM periods of sleep. For the reader who is interested in these methods a good start is to begin to regard all experience as a dream. After all, from the countless multitude of matter and radiation reaching our senses the nervous system tunes in only to a small fraction of this chaos. For members of the phalanx that believes we, more or less, create our own reality in the above sense this practice should feel natural. In general, though, it's recommended to get instructions from a teacher made of flesh and blood rather than consulting the literature or books such as this one.

Other Techniques

Rated red. There have been no anecdotes found of these techniques working.

Many of these are combinations of other techniques with some addition or modification.

✚ **Inducing dreamsigns** - You can become lucid by trying to induce specific dreamsigns to watch for during your dream. You can use autosuggestion (see above) to associate a specific dreamsign with doing a reality check, or you can just get used to doing a reality check whenever you encounter the dreamsign while awake. Some dreamsigns you can use:

- ◆ **Thirst** - Avoid drinking for very long. Wake up later in the night and put salt on your tongue or eat chili to make you even thirstier. Fill a glass of fresh cold water and take it with you back to bed. Hopefully, you'll dream of getting something to drink.
- ◆ **False Awakening** - Set your intention as you fall asleep to wake up in the middle of the night. If you're a heavy sleeper, you'll hopefully dream of waking up in the middle of the night. If you're a light sleeper, you're probably more likely to really wake up.
- ◆ **Bladder** - Drink huge amounts of water before going to sleep. You should dream of having to go to the bathroom. You may wet your bed!

✚ **Chakra** - Use Chakra ('third eye') meditation to help you fall asleep. Use with the WBTB technique.

✚ **Punishment** or **Reward** - Strictly punish or reward yourself after a dream where you failed to realise you were dreaming or when you do

have a lucid dream. This could increase motivation but not necessarily cause lucid dreams in itself.

Other Methods

Food and Drink

There are various foods and drinks that you can consume which seem to have some effect on sleeping and dreaming. Note that for most of these there is no explanation or scientific study of how they work, and some might just be a placebo.

Don't go overboard with the consumption of any of these, as overdosing could have nasty effects (well, milk should be safe (not for those allergic)).

Don't experiment without accumulating enough knowledge first. The authors in no way encourage the use of legal or illegal drugs.

- ✚ Warm milk includes the amino acid tryptophan which is a precursor for the hormone serotonin, and has been proven to help you fall asleep
- ✚ Vitamin B6 and others of the B group are important for neuronal functions

✚ Melatonin is another hormone with neuronal effects

✚ 5-HTP or L-5-HTP is a supplement that is related to serotonin, which some claim has induced lucid dreaming on approximately half the nights it is taken.

Plants:

✚ *Artemisia vulgaris*

✚ *Hypericum perforatum*

✚ Korean Ginseng

✚ *Salvia divinorum*

✚ *Valeriana officinalis*

The following can be used to create a (more or less) lucid dream-like state:

Dissociatives & Hallucinogens: (Again: **Not recommended!**)

✚ *Amanita muscaria*

✚ Ayahuasca

✚ DXM

✚ Ketamine

✚ LSD

✚ Mescaline

- ✚ Morning glory seeds
- ✚ PCP
- ✚ Psilocybe mushrooms
- ✚ Salvia in higher doses
- ✚ For more info, see [Erowid Vaults](http://www.erowid.org/psychoactives/psychoactives.shtml) (<http://www.erowid.org/psychoactives/psychoactives.shtml>)

Gadgets

There are various gadgets you can use to become lucid easily. They generally detect when you are in the REM state and then provide a light and/or sound signal. This signal is supposed to be adjusted so that it doesn't wake you up but does enter your dream. The signal is then recognised as showing that you're dreaming, and you become lucid.

One such device is the [NovaDreamer](http://www.lucidity.com/novadreamer.html) (<http://www.lucidity.com/novadreamer.html>), available from [The Lucidity Institute](http://www.lucidity.com) (<http://www.lucidity.com>). It is available for approximately \$400 in the United States or \$780 (£440) outside it and comes with supplementary material.

An alternative is the [Kvasar](http://brindefalk.solarbotics.net/kvasar/kvasar.html) (<http://brindefalk.solarbotics.net/kvasar/kvasar.html>).

The Kvasar costs about \$20 in raw materials, but needs to be constructed by somebody skilled in electronics as it is not sold commercially. It can also be hard to operate.

Useful "In Dream" Techniques

Dream Stabilization

Once you are able to lucidly dream, you may find that it is difficult to stay in the dream; for example, you may wake instantly or the dream may start "fading" which is characterized by loss or degradation of any of the senses, especially visuals.

If you wake immediately after becoming lucid (make sure you do a reality check to be sure you're not still dreaming!), you simply need to continue practising all your techniques. If you find that you are lucidly dreaming often, it will be less of a shock when you become lucid, and you'll be less likely to wake up.

If your dreams fade out (or "black out"), you should try these methods *before* your dream starts fading:

Hand rubbing

Rub your hands together and concentrate on the rubbing. You should feel the

friction and the heat of your hands. If you can concentrate on the feelings that this action generates, your dream is likely to stabilize and cause the dream to become more vivid and detailed, along with some other effects. You can also keep one hand on your arm while exploring the dream for a constant sense of stimulation. This technique is most effective when used in conjunction with the “Slowing it down” technique, by staring at your hands while rubbing them together.

Spinning

You spin around in your dream much as you would if you suddenly want to feel dizzy in real life. The sensation of movement is the key here to stabilizing the dream. Although many people report success with this, this technique is likely to have some side-effects on the dream, such as finding yourself in a totally different scene. For this reason, this technique is also effective in changing the dream scene. If the dream scene disappears (e.g., becomes black), it is necessary to visualize the dreamscape to return to the dream.

Slowing It Down

Some people like to stabilize the dream by “stopping to smell the roses” and slowly stare at a dream object until it becomes clear. The dreamer would then look around elsewhere, noticing how detailed everything is, thereby stimulating the visual portion of the dream.

False Awakening

A couple of the users on the Id4all.com forums have had success with creating a false awakening to stabilize a dream. If the above techniques are failing and you find your dream still fading, *and you really want to continue your lucid dream*, do the following:

- ◆ Expect to have a false awakening.
- ◆ When you think you wake up (false or not), perform a reality check.

You will either have a false awakening, reality check, and then end up with an

even more vivid lucid dream, or will really wake up, perform a reality check, and realize that you just woke up (unfortunately).

The most important part of this is the reality check. This is what will continue your lucid dream. You should be performing reality checks when you wake up. If you plan to induce false awakenings in order to stabilize a dream, the reality check that you perform as you wake up is as important as the one that got you lucid, if not more.

Perform every check in the book until you are **positively, absolutely, and completely sure** that you aren't dreaming. A series of 10 reality checks are more likely to produce dream results in a dream, especially if you are expecting dream results. Again, this technique is for those who are desperate!

If you have had a good experience with this technique, please go to the talk page and post your experiences, as there have not been many anecdotes of it working yet.

If you didn't do any of these, your best option is probably to try to wake up. That way, you will remember more of the dream.

The general rule of dream-stabilization is to **stimulate the senses**. If you listen for sounds, feel around with your hands, and pay attention to what you see and smell, you will stimulate your senses. The idea here is to load your senses with stimulation from the dream so that your senses cannot shift to the real world. If you close your eyes, you are removing a great deal of sensory information and might wake up. If you hear something loud in real life and are hearing nothing in the dream, your senses may shift to the real world,

causing you to wake up.

Recovering From Lost Visuals

There are a few things you can try to do if you lose your visuals. Most of these are less likely to help prolong your dream than the above techniques.

You can also try these if you have just woken up and are lying in your bed. You may be able to return to your dream.

Autosuggestion

You can repeat over and over a phrase similar to "I can see my dream," or otherwise enforce in your mind that you can see a dreamscape. (See ***Autosuggestion***)

Visualizing

You can visualize the scene as it would be if you could see it. You could take this as an opportunity to change the dreamscape by visualizing a different environment from the previous one in the dream. This can be made easier by spinning as you visualize.

Getting Objects Into Your Dream

Sometimes you would like something to eat or stab with in a lucid dream, or someone to talk with. There are many ways to generate any object you choose in a lucid dream, but each method takes practice and persistence, as well as a good deal of confidence and concentration. Remember, it's your dream, anything you want to happen will happen.

In the dream world, your expectations are as good as facts. You have probably noticed how everything you think about instantly takes form in the dream (classic example: “Uh oh, I hope there's not a monster behind that corner” and you instantly see the monster coming at you). Use this to your advantage, and “entice” your brain to create what you want.

Here are some methods to help you summon objects:

- ✚ You can grab for objects that are not within your field of vision. For example, you can say to yourself, “When I reach into my pocket there will be a box of mints in there.” and attempt to take a box of mints out of your pocket. There are variations of this, such as reaching behind you or reaching through a mirror in hopes of getting hold of what you want.
- ✚ You could say aloud or in your head in a lucid dream, “When I turn around, so-and-so will be in front of me”, “When I walk through this mirror, I will see...”, or “In a few moments, so-and-so will walk through that door (or around that corner)”.
- ✚ Stare at a point in empty space and think or say aloud that whatever object you want will materialize before your eyes. You will probably have to really concentrate for this one. Here's an example:

“I am lucid in my backyard, and the scene is nighttime, and pretty dark. I don't like the dark in my lucid dreams because I'm more likely to wake up, plus there could be a monster lurking at every corner. I look at the horizon, and concentrate on the sun rising out from below it. It doesn't happen at first, but I keep going and eventually I see a little light, and then the sun comes out. Strangely enough, the sun is white, but the surrounding sky is still black. I see a sky-blue ring around the white sun, and, in a quick motion, I point my hand to it and shout, ‘Blue!’. While this seems stupid now, my command actually got the blue light to spread

around the sky, creating a daytime effect. Now I am off..."

- ✚ Some people have also had success by closing their eyes and just imagining the object they desire in front of them, and when they open their eyes...

Remember to not doubt your control — as explained *all over this ebook*, your dreams are affected by the **placebo effect**. If you believe you can attempt extremely hard things in a dream, and have them occur and not wake up, ***you will have an easier time performing that action!***

What You Can Do

This final section should see you off with a few ideas of what to do in a dream.

But first, a warning. You should have a *clear purpose* for your lucid dreams whenever you go to sleep. In other words, every night you consider what you want to do when you have a lucid dream, and select one thing, or perhaps two or three if you are skilled. Avoid this:

"What am I gonna do what am I gonna do? I wanna fly, walk through walls, eat until my stomach explodes, spy on my neighbours, drive in a car real fast, woooeeey I'm gonna..."

You will either end up doing none of these things in your dream or simply wake up from overexcitement.

Now that that's clear, here's a list of possible things you could do, ordered in difficulty. Remember that you might find some things unusually hard (or easy) compared to most lucid dreamers, this is perfectly normal!

This is a very rough guide — if you've managed something in the Easy section, don't be scared to try for something from the Medium section.

Easy

Fly

Most people enjoy flying around in dreams. There are different styles of flight that people use, each with a varied level of success for each individual. Methods such as “swimming through the air”, “Superman style” (one arm outstretched), “Neo style” (both arms at your side), and “Airplane style” (both arms out) are often used. There are a few methods of getting up into the air, such as simply jumping (you can jump really high in dreams if you believe it) or imagining a great force pushing you from your feet. Some people summon jetpacks and slip them on to fly. Be creative and dream up your own methods.

Explore Your Dream World

Be warned, you are quite likely to forget you are dreaming when exploring! Doing reality checks often and muttering to yourself about how real everything seems can help to avoid this. You can also ask a dream character to tag along with you and remind you when you forget that you're dreaming.

Walk Through a Mirror or Wall

You can pass through dream objects such as walls, glass, trees, and everything else. Confidence is really the key here. Some variations on going through stuff can be going in slowly, wiggling your finger in first, or

running quickly into the object and telling yourself you would go through it. Some people particularly like to go through mirrors because of the unpredictable effects this action produces. However, if you tell yourself you will end up at a certain location before passing through a mirror, you can change the dream scene quickly. Be warned, some people experience nothing and wake up after passing through. You may want to hold your arm to keep yourself in the dream.

Kill People

Some people consider killing people in dreams immoral, undermining the morals you uphold in real life. Alternatively, when considering people in dreams as aspects of oneself, killing them can be “rude to your subconscious”. However, nobody can tell you what you should and should not do in your dreams, and the choice remains up to you.

Look At The Sky

People often report amazing skies in lucid dreams. You can also shout colours at it and paint some sunrises.

Show Off To Your Friends (“Look everybody; I can go through this wall!”)

Do Plenty Of Sports (trampolining, skiing, etc.)

Medium

 Eat until you're near bursting!

 Create some dream characters (possibly from a book or film)

 Try to find your spirit guide

- ✚ Experiments (in fact, researchers will often want people of various skills)
- ✚ Body swapping (where you enter a different body)
- ✚ Morph
- ✚ Take some drugs (this is more realistic if you've done so in real life)

Many people have also experienced realistic effects when trying drugs in dreams that they have never taken in real life.

Hard

- ✚ Have sex (The excitement, or closing your eyes, can cause you to wake up.)
- ✚ More morphing like 360 degree vision, sonar vision, etc.
- ✚ Create false memories, etc.
- ✚ Compose music or poems (or request them from your subconscious)
- ✚ Build a fantasy dream world! (some people build a dream world naturally)
- ✚ Have precognition (your subconscious can be very good at predicting the future with relationships and career)
- ✚ Experience death in the dream (remember, it's only a dream, it can't hurt you)
- ✚ Ask the dream to show you your worst fears/deepest traumas/etc. (be prepared for some bad stuff to surface)

Conclusion

With all the techniques in this book, you may feel overwhelmed and uncertain of what to do next. Don't worry — just choose a few techniques to “map your way to lucidity”, decide on a few things you will want to do from this page, and start!

If you are still unsure of what to do, don't worry — you might happen to have a lucid dream tonight!

Best of Luck To You, and Sweet Dreams 😊